




Ingredient Batching Systems



Pneumatic conveyor


PNEUMATIC CONVEYOR

WHAT IS IT?

A pneumatic conveyor is a system conceived for **moving dust, grain and solid material from one point to another**, exclusively by means of vacuum power. The system is entirely closed, preventing any risk of contamination due to product dispersion during transport.

HOW DOES IT WORK?

The suction unit generates vacuum inside the system, consequently moving the material thanks to the air flow. The system allows the automatic transfer of the product simply connecting it with one or more processing, production or packaging equipment. Air flow can transport material in **dense phase (Venturi unit or lobe pump)**, avoiding the risk of de-mixing or mechanical breakage, or in **diluted phase (side channel blower)**.




APPLICATIONS

Pneumatic conveyors can be used in several industrial fields to move dust, grain and solid material. Their use can improve their productivity and efficiency up to 30%.


HANDLING



SEPARATION



LOAD/DISCHARGE




DISTRIBUTION



BLENDING



DOSAGE



ADVANTAGES & BENEFITS

- ✓ Low initial economic investment
- ✓ Easy installation
- ✓ Low-wear, no maintenance required
- ✓ Improved security of working environment
- ✓ Easy to use and sanitize
- ✓ No alteration or contamination of the product
- ✓ No encumbrance inside departments
- ✓ Improvement of environmental healthiness
- ✓ Use in potentially explosives atmospheres



Multihead weigher load



Dosing machine load



Mixer load and unload

PICK-UP



Nozzle pick-up



**Automatic pick-up
after dosing**



**Pick-up from a manually
filled up hopper**

DISCHARGE AND FILLING



**Load or discharge
of containers,
bins and Silo**



Automatic machineries load
*Dicers, roasters,
blending machines,
vibrating sieves,
packaging lines*



**Semi-automatic
machineries load**
*Dosers, vibrating or auger
feeders, envelope machines*

FOOD

AGRO-FOOD
COFFEE
NUTRACEUTICAL
DAIRY SECTOR
DRIED FRUIT
BAKERY PRODUCTS
CONFECTIONERY & CANDIES
TEAS-SPICES-AROMAS-HERBS-HERBAL TEAS
PET FOOD



PHARMACEUTICAL

POWDER
TABLETS
CAPSULES



CHEMICAL
ESSICANTS



ADDITIVE MANUFACTURING
3D PRINTING

LOADING PRINTERS
POWDER RECOVERY



TOXIC MATERIAL

Pneumatic conveyors are the best solution for moving toxic and harmful products: in fact, since they are closed, the material cannot be dispersed in the working environment.

EXPLOSIVE MATERIAL

When very fine material is close to sources of trigger, it might cause explosions: avoiding the risk of explosion is basically impossible, but it can be minimized by preventing the accumulation of electrostatic charges.



Delfin pneumatic conveyors have high conveying capacities thanks to extremely efficient and reliable vacuum technology. Designed with high quality standards and first choice components.



GAMMA PRO PRO RANGE

The **PRO line** is suitable for transferring products with a density between 0.2 and 1kg/m³

- Excellent value for money
- Suitable for dry and easy flowing products

GAMMA TECH TECH RANGE

The **TECH line** is the modular range useful for any product density and/or requirement.

- Flexibility of use and ease of sanitation
- Suitable for any type of product



Features

- > AISI304 stainless steel manufactured
- > Total customization
- > CE certificate and for contact in the food industry
- > ATEX certificate available
- > Wide range of accessories available

Suction unit

- > Electric singlephase or threephase (1 to 20 kW)
- > Pneumatic multijet Venturi unit (4 to 15 nozzles)

Loading unit

- > Tangential inlet from 40 up to 100 mm
- > Capacity from 8 up to 65 lt



ELETRIC RANGE (50Hz)		230V 1-	400V 3-
Power	kW	1,15	2,2-17,3
Air consumption	NI/min	250	250
Water lift	mbar	235	210-540
Airflow	m ³ /h	170	318-1.200



PNEUMATIC RANGE (6bar)		
Multi-jet Venturi		4-15
Air consumption	NI/min	370-1400
Water lift	mbar	750
Airflow	m ³ /h	110-380



Discharge unit

- > Discharge size from 100 up to 250 mm
- > Clapet valve, butterfly valve

Filtration unit

- > Food contact certified polyester or AISI316 stainless steel filters
- > Automatic filter cleaning systems



Further optionals

- > Customized finishing
- > Discharge valve line
- > Max level sensor on the conveyor

Further accessories

- > Suction nozzle
- > Hopper for product collection
- > Fixed or dynamic frame



Delfin Pneumatic Conveyors Department

Delfin's Pneumatic Conveying division is aimed at professionals and industries all over the world, finding efficient and effective solutions to increase productivity in all sectors and fields that need to transfer powders, granules or solids.

*Not only pneumatic conveyors...
Discover our industrial vacuum cleaners:
the perfect match for your production line*



Unit 8, i-Worx Commercial
Park, Innovation Way, Wootton,
Bedfordshire. MK43 9SP

T +44 (0) 1234 481 008

sales@ingredientbatchingsystems.com

ingredientbatchingsystems.com

Follow us on:

